



# Size of each solar panel on the roof





## Size of each solar panel on the roof



### [What's the difference between size\\_t and int in C++?](#)

In several C++ examples I see a use of the type `size_t` where I would have used a simple `int`. What's the difference, and why `size_t` should be better?

### Size function in matlab

As you know, matlab deals mainly with matrices. So, the size function gives you the dimension of a matrix depending on how you use it. For example:  
1. If you say `size(A)`, it ...



### javascript

The OP was asking '`Array.size ()` vs `Array.length`'. From the previous discussions, it was make clear, that the 'size' Function is not part of standard JavaScript but implemented ...

### What's sizeof(size\_t) on 32-bit vs the various 64-bit data models?

So, the size of `size_t` is not specified, only that it has to be an unsigned integer type. However, an interesting specification can be found in chapter 7.18.3 of the standard: limit of `size_t` ...



**Outdoor Cabinet BESS**  
50 kWh/500 kWh Battery Storage System  
Industrial and Commercial Energy Storage



- All In One**  
Integrating battery packs
- High-capacity**  
50-500kWh
- Degree of Protection**  
IP54
- Operating Temperature Range**  
-20-60°C (Derating above 50 °C)
- Intelligent Integration**  
integrated photovoltaic storage cabinet
- Rated AC Power**  
50-100kW
- Altitude**  
3000m(>3000m derating)

## How can I see the size of a GitHub repository before cloning it?

Here's a hint: My absolute largest repository contains only images of various formats, it's an "artwork" repo of icons which I use in various apps. Yet, GitHub reports the size as 0. So I'm ...

## [What does the C++ standard say about the size of int, long?](#)

If the size of the int is that important one can use `int16_t`, `int32_t` and `int64_t` (need the `iostream` include for that if I remember correctly). What's nice about this that `int64_t` should not have ...



**int**

**C++**

```
typedef size_t intc; // (instead of unsigned int)
typedef ssize_t uintc; // (instead of int)
Because strlen, string, vector all use size_t, so I usually use size_t.
And I only use ssize_t when it may ...
```



In this case, depending upon what your use case is, you might be better off using int (or long long) for s1 and s2. There are some functions in C/POSIX that could/should use size\_t, but don't ...



### [How to determine the size of an object in Java](#)

The approach basically builds on other work where people experimentally identified the size of primitives and typical Java objects and then apply that knowledge to a ...



### [Difference between size and length methods?](#)

What is the difference between .size() and .length ? Is .size() only for arraylists and .length only for arrays?





## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:

<https://asimer.es>

Phone: +34 910 56 87 42

Email: [info@asimer.es](mailto:info@asimer.es)

Scan the QR code to access our WhatsApp.

