



What is the size of the solar curtain wall in New Zealand





What is the size of the solar curtain wall in New Zealand



c++

`typedef size_t intc; // (instead of unsigned int)`
`typedef ssize_t uintc; // (instead of int)` Because `strlen`, `string`, `vector` all use `size_t`, so I usually use `size_t`. And I only use `ssize_t` when it may ...

javascript

The OP was asking 'Array.size () vs Array.length'. From the previous discussions, it was make clear, that the 'size' Function is not part of standard JavaScript but implemented ...




python 3.x

I found two ways to determine how many elements are in a variable... I always get the same values for `len ()` and `size ()`. Is there a difference? Could `size ()` have come with an ...

[What does the C++ standard say about the size of int, long?](#)

If the size of the `int` is that important one can use `int16_t`, `int32_t` and `int64_t` (need the `iostream` include for that if I remember correctly). What's nice about this that `int64_t` should not have ...




Difference between size and length methods?

What is the difference between `.size()` and `.length` ? Is `.size()` only for arraylists and `.length` only for arrays?

int

In this case, depending upon what your use case is, you might be better off using `int` (or `long long`) for `s1` and `s2`. There are some functions in C/POSIX that could/should use `size_t`, but don't ...



Size function in matlab

As you know, matlab deals mainly with matrices. So, the size function gives you the dimension of a matrix depending on how you use it. For example:
1. If you say `size(A)`, it ...

How can I see the size of a GitHub repository before cloning it?



Here's a hint: My absolute largest repository contains only images of various formats, it's an "artwork" repo of icons which I use in various apps. Yet, GitHub reports the size as 0. So I'm ...



[What's the difference between `size_t` and `int` in C++?](#)

In several C++ examples I see a use of the type `size_t` where I would have used a simple `int`. What's the difference, and why `size_t` should be better?

[How to determine the size of an object in Java](#)

The approach basically builds on other work where people experimentally identified the size of primitives and typical Java objects and then apply that knowledge to a ...





Contact Us

For catalog requests, pricing, or partnerships, please visit:

<https://asimer.es>

Phone: +34 910 56 87 42

Email: info@asimer.es

Scan the QR code to access our WhatsApp.

